

Acetaminophen Dosing Chart

(Also known as Tylenol®, Liquiprin®, Feverall®)

Age	Weight	Acetaminophen Infant Drops	Acetaminophen Children's Elixir	Acetaminophen Children's Chewables	Acetaminophen Children's Chewables
		80 mg/.8 ml	160 mg/5 ml	80 mg ea.	160 mg ea.
0-3 mo.	6-11 lbs.	40 mg/.4 ml			
4-11 mo.	12-17 lbs.	80 mg/.8 ml			
1-2 yrs.	18-23 lbs.	120 mg/1.2 ml			
2-3 yrs.	24-35 lbs.	160 mg/1.6 ml	160 mg/1 tsp.	160 mg/2 tabs	160 mg/ 1 tab
4-5 yrs.	36-47 lbs.		240 mg/1.5 tsp.	240 mg/3 tabs	240 mg/1.5 tabs
6-8 yrs.	48-59 lbs.		320 mg/2 tsp.	320 mg/4 tabs	320 mg/2 tabs
9-10 yrs.	60-71 lbs.		400 mg/2.5 tsp.	400 mg/5 tabs	400 mg/2.5 tabs
11-12 yrs	72-95 lbs.		480 mg/3 tsp.	480 mg/6 tabs	480 mg/3 tabs
12 yrs. +	95+ lbs.				640 mg/4 tabs

Do not give more frequently than every 4 hours or more than 5 doses in 24 hours.

Never alternate dosing of Ibuprophen and Acetaminophen unless your doctor tells you to. Start with one medication and stay with it. Never give a higher-than-recommended dose of either medicine, and never give aspirin to a child under 18 years old.

When Should I Call A Doctor?

- When an infant under three (3) months has a fever, is irritable or cries persistently.
- If a child complains of a stiff neck, headache or severe pain or has a seizure.
- If a child shows signs of having a difficult time breathing.
- When a child develops a persistent fever.
- When you have concerns or questions.